

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee

UNITED STATES

Cotton Quality Report

USDA
NAT'L AGRIC LIBRARY
2005 JAN 13 P 9 14
CURRENT SERIAL RECORDS
ACO/SERIALS BRANCH

CLASSINGS THROUGH DECEMBER 30, 2004

VOL. 78, NO. 4

January 3, 2005

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through
December 30, 2004

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	-	-	18	161	1,122	8,733	51,054	181,399	242,487
	3	-	1	38	309	1,690	11,914	92,924	393,454	500,330
	4	-	-	6	43	185	1,279	8,610	40,677	50,800
	5	-	-	-	-	16	67	250	691	1,024
	6	-	-	-	-	-	-	4	19	23
	7	-	-	-	-	-	-	-	-	-
	TOTAL----	-	1	62	513	3,013	21,993	152,842	616,240	794,664
31	1-2	-	1	11	149	1,119	6,621	20,525	43,553	71,979
	3	-	4	76	786	4,814	34,736	193,844	593,877	828,137
	4	-	1	18	423	2,049	11,500	65,673	234,719	314,383
	5	-	-	3	56	341	1,052	4,974	15,107	21,533
	6	-	-	-	2	10	32	239	542	825
	7	-	-	-	1	7	1	8	23	40
	TOTAL----	-	6	108	1,417	8,340	53,942	285,263	887,821	1,236,897
41	1-2	-	1	31	136	853	3,825	9,789	19,872	34,507
	3	-	3	109	950	7,211	58,266	284,846	732,058	1,083,443
	4	-	1	36	662	4,734	25,951	137,220	460,157	628,761
	5	-	-	2	124	915	4,191	13,963	39,711	58,906
	6	-	-	-	27	145	476	1,716	2,949	5,313
	7	-	-	-	14	55	18	211	317	615
	TOTAL----	-	5	178	1,913	13,913	92,727	447,745	1,255,064	1,811,545
51	1-2	-	-	7	17	274	1,329	2,643	4,359	8,629
	3	-	6	57	373	2,972	25,406	98,641	207,948	335,403
	4	-	3	12	172	1,264	11,118	55,072	151,740	219,381
	5	-	-	1	23	325	2,186	6,905	15,578	25,018
	6	-	-	-	5	48	494	1,134	1,642	3,323
	7	-	-	-	4	12	73	171	195	455
	TOTAL----	-	9	77	594	4,895	40,606	164,566	381,462	592,209
61	1-2	-	-	-	-	1	15	124	289	429
	3	-	-	-	3	58	465	1,934	4,078	6,538
	4	-	-	-	4	47	567	1,741	3,046	5,405
	5	-	-	-	1	11	111	328	552	1,003
	6	-	-	-	-	4	14	48	82	148
	7	-	-	-	-	-	5	18	18	41
	TOTAL----	-	-	-	8	121	1,177	4,193	8,065	13,564
71	1-2	-	-	-	-	-	-	-	2	2
	3	-	-	-	-	-	5	12	11	28
	4	-	-	-	1	-	5	11	14	31
	5	-	-	-	-	1	-	-	2	3
	6	-	-	-	-	-	3	9	6	18
	7	-	-	-	-	1	3	22	6	32
	TOTAL----	-	-	-	1	2	16	54	41	114
12 & 22	1-2	-	-	-	22	149	969	2,449	4,868	8,457
	3	-	3	18	79	493	2,370	5,376	10,625	18,964
	4	-	-	4	10	102	358	1,312	2,705	4,491
	5	-	-	-	-	8	26	122	152	308
	6	-	-	-	-	-	-	3	9	12
	7	-	-	-	-	-	-	-	-	-
	TOTAL----	-	3	22	111	752	3,723	9,262	18,359	32,232
32	1-2	-	5	31	94	234	800	1,726	2,016	4,906
	3	-	6	65	569	2,514	9,126	24,542	41,861	78,683
	4	-	5	21	288	1,206	4,417	14,138	28,019	48,094
	5	-	-	-	16	130	586	1,707	2,986	5,425
	6	-	-	-	4	7	28	169	249	457
	7	-	-	-	-	2	3	9	30	44
	TOTAL----	-	16	117	971	4,093	14,960	42,291	75,161	137,609
42	1-2	1	7	44	87	212	784	1,326	1,279	3,740
	3	1	29	168	1,051	4,011	19,399	56,550	84,958	166,167
	4	-	5	174	818	3,984	14,456	49,597	93,949	162,983
	5	-	-	20	270	883	2,778	8,165	14,138	26,254
	6	-	-	2	31	80	275	873	1,363	2,624
	7	-	-	-	10	25	19	82	190	326
	TOTAL----	2	41	408	2,267	9,195	37,711	116,593	195,877	362,094
52	1-2	-	2	8	8	55	251	533	651	1,508
	3	-	15	71	374	1,655	7,770	27,360	55,561	92,806
	4	-	-	40	280	1,172	5,945	21,580	50,565	79,582
	5	-	-	9	132	463	1,422	4,015	7,528	13,569
	6	-	-	2	44	125	279	808	1,012	2,270
	7	-	-	-	8	16	75	166	156	421
	TOTAL----	-	17	130	846	3,486	15,742	54,462	115,473	190,156

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through December 30, 2004

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	-	-	-	6	21	49	76
	3	-	-	4	13	31	184	561	1,395	2,188
	4	-	-	5	16	46	374	863	1,499	2,803
	5	-	-	1	7	11	90	283	361	753
	6	-	-	-	6	5	21	75	65	172
	7	-	-	-	-	-	2	11	9	22
TOTAL----		-	-	10	42	93	677	1,814	3,378	6,014
13 & 23	1-2	-	-	-	2	14	99	311	719	1,145
	3	-	-	-	13	84	274	587	1,212	2,170
	4	-	-	-	-	19	53	89	221	382
	5	-	-	-	-	1	4	6	13	24
	6	-	-	-	-	-	-	2	1	3
	7	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	15	118	430	995	2,166	3,724
33	1-2	-	-	21	85	72	288	708	1,064	2,238
	3	-	1	62	417	859	2,797	7,470	14,234	25,840
	4	-	1	6	90	408	1,127	3,493	6,727	11,852
	5	-	-	-	5	20	110	256	416	807
	6	-	-	-	-	9	12	9	10	40
	7	-	-	-	1	3	2	-	1	7
TOTAL----		-	2	89	598	1,371	4,336	11,936	22,452	40,784
43	1-2	-	-	1	21	47	121	269	297	756
	3	-	1	62	475	1,163	3,573	8,304	14,211	27,789
	4	-	1	75	529	1,624	3,748	9,356	16,466	31,799
	5	-	-	8	159	306	710	1,662	2,210	5,055
	6	-	-	3	41	43	64	129	130	410
	7	-	-	-	5	16	41	16	47	125
TOTAL----		-	2	149	1,230	3,199	8,257	19,736	33,361	65,934
53	1-2	-	-	1	5	5	19	48	54	132
	3	-	1	3	61	121	533	1,955	4,069	6,743
	4	-	-	11	54	102	653	1,938	4,134	6,892
	5	-	-	3	18	66	245	625	851	1,808
	6	-	-	-	13	19	51	133	139	355
	7	-	-	-	3	4	11	23	42	83
TOTAL----		-	1	18	154	317	1,512	4,722	9,289	16,013
63	1-2	-	-	-	-	-	-	-	3	3
	3	-	-	-	-	1	17	60	120	198
	4	-	-	-	-	8	39	123	259	429
	5	-	-	-	-	1	9	38	85	133
	6	-	-	-	-	-	1	13	26	40
	7	-	-	-	-	-	-	3	3	6
TOTAL----		-	-	-	-	10	66	237	496	809
24-54	1-7	-	-	38	397	1,084	2,771	7,098	10,733	22,121
25-35	1-7	-	-	-	-	4	1	3	9	17
81-85 1/	1-7	-	-	2	111	131	235	311	401	1,191
All Colors	8 2/	-	-	-	-	10	69	191	199	469
TOTAL, ALL----		2	103	1,408	11,188	54,147	300,951	1,324,314	3,636,047	5,328,160

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through December 30, 2004

QUALITY	LEAF	STAPLE						
COLOR		35	36	37	38	39	40 &+	TOTAL
		Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	337,010	310,642	284,758	114,773	19,357	2,625	1,311,652
	3	743,621	632,445	294,452	70,037	15,828	1,666	2,258,379
	4	98,634	97,930	49,699	9,215	1,369	115	307,762
	5	1,326	1,270	719	146	36	3	4,524
	6	13	6	4	-	-	-	46
	7	-	-	-	-	-	-	-
TOTAL----		1,180,604	1,042,293	629,632	194,171	36,590	4,409	3,882,363
31	1-2	58,762	41,070	31,570	8,011	1,477	313	213,182
	3	934,328	657,877	288,613	50,301	6,907	1,004	2,767,167
	4	481,314	463,195	244,556	40,069	3,024	295	1,546,836
	5	30,416	33,700	23,086	4,992	434	21	114,182
	6	707	597	416	119	20	-	2,684
	7	16	11	9	2	-	-	78
TOTAL----		1,505,543	1,196,450	588,250	103,494	11,862	1,633	4,644,129
41	1-2	24,244	15,151	10,778	3,014	421	22	88,137
	3	966,382	571,785	157,496	22,719	4,368	570	2,806,763
	4	815,188	659,058	234,652	25,775	2,999	469	2,366,902
	5	71,143	73,818	41,681	6,549	607	74	252,778
	6	4,252	3,664	2,527	527	49	3	16,335
	7	264	145	81	14	4	-	1,123
TOTAL----		1,881,473	1,323,621	447,215	58,598	8,448	1,138	5,532,038
51	1-2	3,911	2,533	2,431	719	89	3	18,315
	3	226,077	113,715	31,913	4,968	901	78	713,055
	4	255,251	209,002	65,098	6,124	2	124	754,982
	5	26,000	29,044	13,111	1,485	63	4	94,725
	6	1,852	1,274	692	122	13	1	7,277
	7	179	78	50	6	-	-	768
TOTAL----		513,270	355,646	113,295	13,424	1,459	117	1,589,420
61	1-2	219	62	19	11	-	-	740
	3	4,484	1,753	353	29	5	-	13,162
	4	4,639	2,796	698	77	4	-	13,619
	5	676	351	96	6	-	-	2,132
	6	104	46	15	4	-	-	317
	7	12	7	1	-	-	-	61
TOTAL----		10,134	5,015	1,182	127	9	-	30,031
71	1-2	-	-	1	-	-	-	3
	3	18	9	4	-	1	-	60
	4	16	10	5	-	1	-	63
	5	4	3	1	1	-	-	12
	6	-	-	1	-	-	-	19
	7	-	-	-	-	-	-	32
TOTAL----		38	22	12	1	2	-	189
12 & 22	1-2	8,219	5,613	6,656	3,092	583	51	32,671
	3	17,238	13,140	10,028	3,381	834	186	63,771
	4	4,854	4,123	3,984	1,162	167	21	18,802
	5	153	109	125	64	23	5	787
	6	2	-	1	2	2	-	19
	7	-	-	-	-	-	-	-
TOTAL----		30,466	22,985	20,794	7,701	1,609	263	116,050
32	1-2	2,244	1,701	2,459	1,195	192	25	12,722
	3	45,626	31,264	15,630	4,694	1,056	247	177,200
	4	36,448	30,021	19,687	4,251	593	105	139,199
	5	3,554	3,562	3,239	1,325	212	9	17,326
	6	216	118	130	51	9	-	981
	7	32	7	6	2	-	-	91
TOTAL----		88,120	66,673	41,151	11,518	2,062	386	347,519
42	1-2	1,088	760	989	457	52	2	7,088
	3	84,719	52,143	15,472	2,815	634	24	321,974
	4	124,199	112,371	42,399	4,499	707	67	447,225
	5	18,592	22,160	12,867	1,804	220	39	81,936
	6	1,271	944	817	222	31	6	5,915
	7	168	63	135	32	-	-	724
TOTAL----		230,037	188,441	72,679	9,829	1,644	138	864,862
52	1-2	378	142	71	19	2	-	2,120
	3	46,849	20,427	4,585	326	39	1	165,033
	4	71,349	58,294	16,063	832	76	1	226,197
	5	11,309	13,535	5,958	385	38	4	44,798
	6	917	663	395	44	2	2	4,293
	7	124	41	40	2	1	-	629
TOTAL----		130,926	93,102	27,112	1,608	158	8	443,070

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through December 30, 2004

QUALITY	LEAF	STAPLE						
		35	36	37	38	39	40 &+	35 to 40+
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	36	10	2	2	-	-	50
	3	1,577	517	114	12	3	-	2,223
	4	1,954	1,401	311	22	1	-	3,689
	5	368	201	74	13	-	-	656
	6	51	29	20	-	-	-	100
	7	10	21	7	-	-	-	38
TOTAL----		3,996	2,179	528	49	4	-	6,756
13 & 23	1-2	902	569	593	241	25	3	2,333
	3	1,710	1,133	497	153	28	4	3,525
	4	325	187	146	30	7	-	695
	5	8	7	11	4	-	2	32
	6	1	-	-	-	-	-	1
	7	-	-	-	-	-	-	-
TOTAL----		2,946	1,896	1,247	428	60	9	6,586
33	1-2	1,162	664	599	374	34	11	2,844
	3	17,178	10,975	3,674	657	158	28	32,670
	4	8,703	6,897	3,169	573	101	8	19,451
	5	465	503	399	115	23	3	1,508
	6	11	8	6	4	2	-	31
	7	1	-	-	-	-	-	1
TOTAL----		27,520	19,047	7,847	1,723	318	50	56,505
43	1-2	317	381	380	203	18	7	1,306
	3	16,287	11,016	4,111	712	82	26	32,234
	4	21,218	16,674	7,710	799	103	17	46,521
	5	2,416	2,029	1,433	236	60	2	6,176
	6	135	121	70	35	4	-	365
	7	57	20	12	1	-	-	90
TOTAL----		40,430	30,241	13,716	1,986	267	52	86,692
53	1-2	34	29	48	7	-	1	119
	3	3,932	2,327	724	88	16	2	7,089
	4	5,755	5,155	1,867	104	18	3	12,902
	5	1,109	1,285	872	47	3	-	3,316
	6	88	90	97	5	-	-	280
	7	22	32	27	1	-	-	82
TOTAL----		10,940	8,918	3,635	252	37	6	23,788
63	1-2	2	2	-	-	-	-	4
	3	161	75	31	5	-	-	272
	4	209	136	43	5	1	-	394
	5	78	45	17	5	-	-	145
	6	15	8	4	5	-	-	32
	7	1	-	1	-	-	-	2
TOTAL----		466	266	96	20	1	-	849
24-54	1-7	10,410	6,550	2,581	275	49	-	19,865
25-35	1-7	2	-	-	-	-	-	2
81-85 1/	1-7	476	283	168	25	3	154	1,109
All Colors	8 2/	89	40	20	3	-	-	152
TOTAL, ALL-----		5,667,886	4,363,668	1,971,160	405,232	64,582	8,363	12,480,891
EXTRANEEOUS MATTER								
Bark - Level 1		1,411,511						
Bark - Level 2		338						
Grass - Level 1		78,480						
Grass - Level 2		930						
Prep - Level 1		41,239						
Prep - Level 2		118						
Other - Level 1		5,843						
Other - Level 2		5						

Average Staple ----- 35.1
Percent Tenderable ----- 71.7

17,809,051 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.3	1.0	1.9	1.7	1.6	0.6	0.1	*	7.4
	3	-	*	*	*	*	0.1	0.5	2.2	4.2	3.6	1.7	0.4	0.1	*	12.7
	4	-	-	*	*	*	*	*	0.2	0.6	0.5	0.3	*	*	*	1.7
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	*	*	0.1	0.9	3.5	6.6	5.9	3.5	1.1	0.2	*	21.8
31	1-2	-	*	*	*	*	*	0.1	0.2	0.3	0.2	0.2	*	*	*	1.2
	3	-	*	*	*	*	0.2	1.1	3.3	5.2	3.7	1.6	0.3	*	*	15.5
	4	-	*	*	*	*	0.1	0.4	1.3	2.7	2.6	1.4	0.2	*	*	8.7
	5	-	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	*	*	*	*	0.3	1.6	5.0	8.5	6.7	3.3	0.6	0.1	*	26.1
41	1-2	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	3	-	*	*	*	*	0.3	1.6	4.1	5.4	3.2	0.9	0.1	*	*	15.8
	4	-	*	*	*	*	0.1	0.8	2.6	4.6	3.7	1.3	0.1	*	*	13.3
	5	-	-	*	*	*	*	0.1	0.2	0.4	0.4	0.2	*	*	*	1.4
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	*	*	*	0.1	0.5	2.5	7.0	10.6	7.4	2.5	0.3	*	*	31.1
51	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	*	*	*	*	0.1	0.6	1.2	1.3	0.6	0.2	*	*	*	4.0
	4	-	*	*	*	*	0.1	0.3	0.9	1.4	1.2	0.4	*	*	*	4.2
	5	-	-	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	0.5
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	*	*	*	*	0.2	0.9	2.1	2.9	2.0	0.6	0.1	*	*	8.9
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	*	*	*	0.1	*	*	*	*	*	-	0.2
71	1-2	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	*	-	*
	4	-	-	-	*	-	*	*	*	*	*	*	-	*	-	*
	5	-	-	-	-	*	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	-	-	*	-	-	-	-	*
	7	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.7
32	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	*	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	1.0
	4	-	*	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	0.8
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	*	*	*	*	0.1	0.2	0.4	0.5	0.4	0.2	0.1	*	*	2.0
42	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	0.1	0.3	0.5	0.5	0.3	0.1	*	*	*	1.8
	4	-	*	*	*	*	0.1	0.3	0.5	0.7	0.6	0.2	*	*	*	2.5
	5	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		*	*	*	*	*	0.2	0.7	1.1	1.3	1.1	0.4	0.1	*	*	4.9
52	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	*	*	*	*	*	0.2	0.3	0.3	0.1	*	*	*	*	0.9
	4	-	-	*	*	*	*	0.1	0.3	0.4	0.3	0.1	*	*	*	1.3
	5	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	*	*	*	*	0.1	0.3	0.6	0.7	0.5	0.2	*	*	*	2.5

* Less than 0.05 percent.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
13 & 23	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
33	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
TOTAL----		-	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	0.5
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	4	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	0.9
53	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	*	*	*	0.1	*	*	*	*	*	*	0.2
63	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	-	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2
25-35	1-7	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	0.1	0.3	1.7	7.4	20.4	31.8	24.5	11.1	2.3	0.4	*	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		7.9														35.1
Bark - Level 2		*														71.7
Grass - Level 1		0.4														
Grass - Level 2		*														
Prep - Level 1		0.2														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

17,809,051 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 3. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.3
	3	-	-	-	-	*	0.1	0.6	1.2	1.3	0.5	0.1	*	-	-	3.7
	4	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	-	0.9
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.1	0.8	1.6	1.7	0.7	0.1	*	*	-	5.0
31	1-2	-	-	-	-	*	*	0.2	0.3	0.2	*	*	*	-	-	0.7
	3	-	-	-	-	*	0.5	2.8	6.3	7.1	2.7	0.4	*	*	-	19.7
	4	-	-	-	-	*	0.2	1.6	3.9	4.8	2.2	0.5	0.1	*	-	13.2
	5	-	-	-	-	-	*	0.1	0.3	0.4	0.2	0.1	*	*	-	1.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	*	0.7	4.8	10.7	12.4	5.1	0.9	0.1	*	-	34.8
41	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
	3	-	-	-	-	*	0.7	4.2	7.8	6.6	2.0	0.3	*	*	-	21.6
	4	-	-	-	-	*	0.2	1.6	4.7	5.6	2.4	0.6	*	*	-	15.1
	5	-	-	-	-	*	*	0.1	0.4	0.5	0.3	0.1	*	*	*	1.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	*	0.9	6.1	13.1	12.9	4.7	1.0	0.1	*	*	38.6
51	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	0.4	1.5	1.7	0.9	0.2	*	-	-	-	4.6
	4	-	-	-	-	*	0.2	1.1	2.5	1.9	0.5	0.1	*	-	-	6.3
	5	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.7	2.8	4.4	2.9	0.7	0.1	*	-	-	11.6
61	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
32	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	-	-	0.6
	4	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	-	-	0.5
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.2	0.4	0.3	0.1	*	*	-	-	1.1
42	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.6	0.7	0.5	0.1	*	*	-	-	2.1
	4	-	-	-	-	*	0.1	0.5	0.9	0.8	0.3	*	*	*	-	2.7
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	*	0.2	1.1	1.7	1.4	0.5	0.1	*	*	-	5.1
52	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.3	0.3	0.1	*	*	-	-	-	0.9
	4	-	-	-	-	*	0.1	0.4	0.6	0.4	0.1	*	*	-	-	1.7
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	0.3	0.8	1.0	0.6	0.2	*	*	-	-	2.9

* Less than 0.05 percent.

Table 3. -- **Alabama** : Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.2
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL---		-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL---		-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	*	0.2
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL----		-	-	-	-	0.1	3.0	16.7	33.2	32.6	12.0	2.3	0.2	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	3.1															
Bark - Level 2	*															
Grass - Level 1	0.2															
Grass - Level 2	*															
Prep - Level 1	0.2															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	*															

751,606 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.3	1.7	7.5	16.7	18.5	10.7	1.5	0.2	*	57.1
	3	-	-	-	-	*	0.2	0.2	1.1	2.5	2.6	2.1	0.5	0.2	*	9.3
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.3	1.9	8.6	19.4	21.2	12.9	2.0	0.4	*	66.8
31	1-2	-	-	-	*	*	*	0.2	0.7	2.0	2.5	1.7	0.3	*	*	7.4
	3	-	-	-	-	*	*	0.1	0.6	1.7	2.4	2.0	0.5	0.1	*	7.5
	4	-	-	-	-	*	*	*	0.1	0.3	0.2	0.2	*	*	*	1.0
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	0.3	1.5	3.9	5.1	4.0	0.8	0.2	*	*	16.0
41	1-2	-	-	-	-	*	*	0.1	0.6	1.0	0.7	0.2	*	*	-	2.8
	3	-	-	-	-	*	*	0.2	1.2	2.3	2.0	0.9	0.1	*	*	6.8
	4	-	-	-	-	-	*	*	0.2	0.3	0.3	0.2	*	*	-	1.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.4	2.0	3.7	3.1	1.3	0.1	*	*	10.8
51	1-2	-	-	-	-	*	*	*	0.2	0.1	0.1	*	-	-	-	0.5
	3	-	-	-	-	*	*	0.1	0.4	0.4	0.1	*	*	*	-	1.1
	4	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.2	0.6	0.6	0.2	*	*	*	-	1.7
61	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	0.1	0.5	1.0	0.5	0.1	*	-	-	2.1
	3	-	-	-	-	*	*	*	0.2	0.5	0.3	0.1	*	*	-	1.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.7	1.5	0.8	0.2	*	*	-	3.4
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.2
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	0.1	0.1	0.2	0.1	*	*	*	*	-	0.5
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	*	*	*	*	*	*	0.2
52	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*

* Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.2
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
53	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
25-35	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL, ALL-----		-	-	-	*	*	0.5	3.1	13.9	29.6	30.7	18.6	3.0	0.6	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.4															Average Staple 35.6
Bark - Level 2	*															Percent Tenderable 70.3
Grass - Level 1	0.5															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	0.4															
Other - Level 1	-															

487,516 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.8	1.5	1.1	0.2	*	*	-	3.8
	3	-	-	-	-	*	*	0.3	3.3	8.5	7.8	2.1	0.1	*	-	22.0
	4	-	-	-	-	-	*	*	0.3	1.5	1.6	0.4	*	*	-	3.9
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.5	4.5	11.5	10.4	2.7	0.1	*	-	29.8
31	1-2	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.2
	3	-	-	-	-	*	*	0.1	1.2	3.2	3.2	0.8	*	*	-	8.6
	4	-	-	-	-	-	*	*	0.7	3.2	3.8	1.1	*	*	-	8.9
	5	-	-	-	-	-	-	*	*	0.2	0.3	0.1	*	*	-	0.6
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.2	1.9	6.7	7.4	2.1	0.1	*	-	18.3
41	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	0.2	1.3	3.0	2.3	0.4	*	*	-	7.2
	4	-	-	-	-	*	*	0.1	0.9	3.0	3.5	0.9	*	*	-	8.3
	5	-	-	-	-	-	*	*	*	0.2	0.3	0.1	*	*	-	0.7
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.2	2.2	6.2	6.1	1.4	*	*	-	16.3
51	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	0.5	2.5	3.6	2.0	0.3	*	*	-	9.0
	4	-	-	-	-	*	*	0.1	1.1	3.8	3.9	1.0	*	*	-	10.0
	5	-	-	-	-	-	*	*	*	0.2	0.3	0.1	*	*	-	0.6
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.6	3.6	7.6	6.2	1.5	0.1	*	-	19.7
61	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.3
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	*	-	0.7
71	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	0.1	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	0.1	0.1	*	*	*	-	0.2
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	0.3
	4	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	-	0.1	0.2	0.2	*	*	*	*	-	0.6
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	0.1	0.4	0.7	0.6	0.1	*	*	-	1.9
	4	-	-	-	-	*	*	*	0.3	0.8	1.3	0.4	*	*	-	2.8
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	-	0.2	0.7	1.6	2.2	0.6	*	*	-	5.2
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	0.3	1.1	1.2	0.5	0.1	*	*	-	3.2
	4	-	-	-	-	-	*	0.1	0.7	1.5	1.5	0.4	*	*	-	4.2
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	-	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	-	0.4	1.9	2.8	2.3	0.6	*	*	-	8.0

* Less than 0.05 percent.

Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	0.3
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2
43	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.2
	4	-	-	-	-	-	-	*	*	*	0.1	*	-	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.3
53	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	0.5
63	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL----		-	-	-	-	-	0.1	2.3	15.4	37.4	35.4	9.0	0.3	-	-	100.0
EXTRANEEOUS MATTER		Average Staple														35.3
		Percent Tenderable														79.3
Bark - Level 1	0.4															
Bark - Level 2	-															
Grass - Level 1	0.1															
Grass - Level 2	-															
Prep - Level 1	0.2															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

1,992,073 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	0.1	0.7	2.3	7.1	8.8	13.5	6.8	1.2	0.2	40.8
	3	-	-	-	*	*	*	0.1	0.7	3.6	6.8	5.0	2.5	0.9	0.1	19.7
	4	-	-	-	-	*	*	*	*	0.1	0.3	0.3	0.1	*	*	0.8
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	*	*	*	0.2	0.8	3.0	10.8	16.0	18.7	9.4	2.1	0.3	61.3
31	1-2	-	-	-	*	*	*	0.1	0.3	0.7	0.5	1.0	0.4	0.1	*	3.1
	3	-	-	-	*	*	*	0.1	0.4	1.8	2.5	1.8	1.1	0.3	0.1	8.1
	4	-	-	-	-	*	*	*	*	0.2	0.7	0.4	0.1	0.1	*	1.6
	5	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.2	0.8	2.8	3.8	3.2	1.5	0.5	0.1	13.0
41	1-2	-	-	-	*	*	*	0.1	0.3	0.6	0.5	0.6	0.2	*	*	2.3
	3	-	-	-	-	*	*	0.2	0.6	2.6	3.9	2.4	1.0	0.3	*	11.0
	4	-	-	-	-	*	*	*	0.1	0.6	1.2	0.7	0.2	0.1	*	2.9
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.3	1.1	3.7	5.7	3.8	1.5	0.4	0.1	16.6
51	1-2	-	-	-	-	*	*	*	*	0.1	0.1	0.2	*	*	*	0.4
	3	-	-	-	-	*	*	*	0.1	0.4	0.7	0.7	0.3	0.1	*	2.3
	4	-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	-	-	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	*	0.1	0.6	1.1	1.1	0.4	0.1	*	3.5
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
12 & 22	1-2	-	-	-	-	*	*	*	*	0.1	0.2	0.4	0.2	*	*	1.0
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.2	0.1	*	*	0.7
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	0.2	0.3	0.6	0.3	0.1	*	1.7
32	1-2	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	0.3
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	0.9
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	0.1	0.3	0.4	0.3	0.1	*	1.4
42	1-2	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2
	3	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	0.8
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	0.2	0.4	0.4	0.2	0.1	*	1.3
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.2

* Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	0.1	0.3	1.4	5.3	18.7	27.8	28.7	13.9	3.4	0.5	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.1															
Bark - Level 2	*															
Grass - Level 1	0.5															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	0.1															
Other - Level 1	-															

1,517,287 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	0.2	0.2	0.1	*	-	-	-	0.5
	3	-	-	-	-	-	*	*	0.4	0.6	0.5	0.2	-	-	-	1.8
	4	-	-	-	-	-	-	*	*	*	0.1	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.1	0.6	0.8	0.7	0.2	-	-	-	2.4
31	1-2	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	-	-	-	0.6
	3	-	-	-	-	-	*	0.6	4.6	7.7	3.9	0.4	*	-	-	17.2
	4	-	-	-	-	-	-	*	0.5	1.2	1.1	0.2	*	-	-	3.0
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.7	5.4	9.1	5.1	0.6	*	-	-	20.9
41	1-2	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	-	0.3
	3	-	-	-	-	*	0.1	2.2	12.9	18.6	6.4	0.6	*	-	-	40.8
	4	-	-	-	-	-	-	0.4	3.4	9.1	5.1	0.6	*	-	-	18.6
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.1	2.6	16.5	27.8	11.5	1.2	*	-	-	59.8
51	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	0.5	1.6	0.9	0.2	*	-	-	-	3.3
	4	-	-	-	-	-	*	0.5	2.2	1.8	0.6	*	-	-	-	5.2
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	1.0	3.9	2.7	0.8	0.1	-	-	-	8.6
61	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	0.1	*	*	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	0.1	*	*	-	-	-	-	-	0.2
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	0.1	0.3	0.4	0.2	*	-	-	-	1.0
	4	-	-	-	-	-	-	-	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.1	0.4	0.6	0.2	*	-	-	-	1.4
42	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.2	0.9	1.4	0.7	0.1	-	-	-	3.2
	4	-	-	-	-	*	*	0.1	0.4	0.7	0.4	*	*	-	-	1.7
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.3	1.3	2.1	1.1	0.1	*	-	-	4.9
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	0.1	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	-	-	-	0.1	0.3	0.3	0.1	*	-	-	-	0.9
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.2	0.4	0.5	0.1	*	-	-	-	1.2

* Less than 0.05 percent.

Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY		LEAF	STAPLE														TOTAL	
COLOR			26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	*	*	*	-	-	-	-	-	-	*		
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
33	1-2	-	-	-	-	-	-	*	*	-	*	-	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1		
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	*	*	0.1	*	*	-	-	-	0.1		
43	1-2	-	-	-	-	-	-	*	*	-	*	-	-	-	-	-		
	3	-	-	-	-	-	-	*	0.1	0.1	*	*	*	-	-	0.3		
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1		
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.3		
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	-		
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1		
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24-54	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL, ALL-----		-	-	-	-	*	0.2	5.2	28.7	43.9	19.7	2.3	*	-	-	100.0		
EXTRANEIOUS MATTER																	Average Staple Percent Tenderable	34.8 81.4
Bark - Level 1		5.1																
Bark - Level 2		"																
Grass - Level 1		0.2																
Grass - Level 2		-																
Prep - Level 1		0.7																
Prep - Level 2		-																
Other - Level 1		*																
Other - Level 1		-																

90,061 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	*	*	*	0.1	0.3	0.4	0.2	*	*	*	-	1.0
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	0.1	0.3	0.5	0.2	*	*	*	-	1.2
31	1-2	-	-	-	*	*	*	0.1	0.2	0.2	*	*	-	-	-	0.6
	3	-	-	-	*	*	0.2	1.5	6.6	9.7	4.1	0.8	*	*	-	22.9
	4	-	-	-	-	*	*	0.2	1.2	2.5	1.7	0.5	0.1	*	*	6.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.2	1.8	8.1	12.4	5.8	1.3	0.1	*	*	29.7
41	1-2	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	*	*	0.4	3.7	12.1	12.3	4.1	0.7	*	*	-	33.3
	4	-	-	-	-	*	0.1	1.5	6.2	9.7	4.8	1.2	0.1	*	*	23.6
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.6	5.2	18.5	22.3	9.0	1.9	0.1	*	*	57.7
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	0.1	0.6	0.9	0.4	0.1	*	*	*	-	2.1
	4	-	-	-	*	*	0.1	0.6	1.2	0.9	0.3	0.1	*	-	-	3.2
	5	-	-	-	-	*	-	*	*	*	*	*	*	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.3	1.3	2.1	1.4	0.4	0.1	*	*	-	5.5
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.1	0.1	*	*	*	-	0.5
	4	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.7
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	0.1	0.3	0.4	0.3	0.1	*	*	*	-	1.2
	4	-	-	-	*	*	0.1	0.3	0.5	0.6	0.3	0.1	*	*	*	1.9
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.6	1.0	1.0	0.5	0.1	*	*	*	3.3
52	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	4	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	-	0.8
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.1	0.3	0.4	0.3	0.1	*	*	*	-	1.2

* Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
53	1-2	-	-	-	-	-	*	*	-	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
TOTAL, ALL----		-	-	-	*	0.1	1.4	9.5	30.8	38.2	16.2	3.6	0.2	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	2.7															Average Staple 34.7
Bark - Level 2	*															Percent Tenderable 83.9
Grass - Level 1	0.2															
Grass - Level 2	*															
Prep - Level 1	0.8															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

1,693,734 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 9. -- **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	0.1	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	0.2	0.1	-	-	-	-	-	-	-	0.3
	5	-	-	-	-	-	0.1	0.3	-	-	-	-	-	-	-	0.4
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	0.3	0.5	-	-	-	-	-	-	-	0.8
31	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	0.1	-	-	-	-	-	-	-	-	0.2
	4	-	-	-	-	-	0.5	0.3	0.3	0.2	0.1	-	-	-	-	1.5
	5	-	-	-	-	0.2	0.2	0.8	0.3	0.3	0.2	-	-	-	-	2.0
	6	-	-	-	-	-	-	0.2	-	-	-	-	-	-	-	0.3
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
TOTAL—		-	-	-	*	0.4	0.9	1.3	0.7	0.5	0.3	0.1	-	-	-	4.1
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	0.1	1.1	0.4	0.2	0.1	0.2	-	-	-	-	-	2.1
	4	-	-	*	0.1	3.1	5.4	3.1	1.5	0.6	0.1	0.1	*	-	-	14.0
	5	-	-	-	0.1	1.6	5.7	7.5	3.3	1.6	0.4	0.1	-	-	-	20.2
	6	-	-	-	0.1	0.6	1.6	4.8	1.5	0.5	0.2	-	-	-	-	9.3
	7	-	-	-	0.1	0.4	0.1	0.9	0.9	-	-	-	-	-	-	2.4
TOTAL—		-	-	*	0.5	1.7	13.2	16.5	7.3	2.8	0.8	0.2	-	-	-	47.8
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	0.1	0.2	-	0.1	0.1	-	-	-	-	-	0.4
	4	-	-	*	0.3	0.7	0.9	1.2	0.8	0.5	*	-	-	-	0.1	4.5
	5	-	-	-	*	0.7	2.1	2.9	2.5	1.0	0.3	*	-	-	-	9.5
	6	-	-	-	*	0.1	1.6	2.4	1.2	0.4	0.1	-	-	-	-	5.9
	7	-	-	-	*	*	0.3	0.8	0.5	*	-	-	-	-	-	1.7
TOTAL—		-	-	*	0.4	1.6	5.1	7.2	5.1	1.8	0.8	-	-	-	-	21.9
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	0.2	-	-	-	-	-	-	-	0.2
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	0.1	*	*	*	-	-	-	-	-	0.2
	5	-	-	-	-	0.1	0.1	0.3	0.1	*	-	-	-	-	-	0.6
	6	-	-	-	-	*	*	*	*	-	-	-	-	-	-	0.1
	7	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	0.2	0.2	0.4	0.1	-	-	-	-	-	-	1.0
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	*	0.8	0.7	0.5	0.3	0.1	*	-	-	-	-	2.5
	5	-	-	*	0.1	0.4	0.8	1.7	1.1	0.4	0.1	-	-	-	-	4.5
	6	-	-	-	*	0.1	0.4	0.9	0.7	0.2	-	-	-	-	-	2.4
	7	-	-	-	*	0.1	-	0.2	0.3	-	-	*	-	-	-	0.7
TOTAL—		-	-	*	0.2	1.5	2.0	3.2	2.4	0.8	0.1	-	-	-	-	10.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	0.1	0.2	0.3	0.2	0.1	*	-	-	-	-	-	0.8
	5	-	-	*	0.4	1.0	0.9	1.1	0.6	0.3	0.1	-	-	-	-	4.3
	6	-	-	-	0.1	0.5	0.7	1.1	0.6	0.1	*	-	-	-	-	3.1
	7	-	-	-	*	0.1	0.4	0.5	0.3	*	-	-	-	-	-	1.4
TOTAL—		-	-	*	0.6	1.8	2.2	2.9	1.5	0.4	0.1	-	-	-	-	9.7

* Less than 0.05 percent.

Table 9. -- **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL—		-	-	-	0.1	*	*	*	*	-	-	-	-	-	-	0.2	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL—		-	-	-	-	*	-	-	-	-	-	-	-	-	-	*	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
	7	-	-	-	*	*	*	-	-	-	-	-	-	-	-	*	
TOTAL—		-	-	-	*	0.1	0.1	*	-	-	-	-	-	-	-	0.2	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	
	4	-	-	-	-	0.1	-	0.1	*	*	*	-	-	-	-	0.3	
	5	-	-	-	-	0.1	-	0.2	0.1	*	*	-	-	-	-	0.5	
	6	-	-	-	-	-	0.1	0.1	*	*	-	-	-	-	-	0.2	
	7	-	-	-	-	0.1	0.3	-	*	-	-	-	-	-	-	0.4	
TOTAL—		-	-	-	-	0.3	0.4	0.4	0.2	*	*	-	-	-	-	1.4	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	*	*	0.2	*	*	0.1	-	-	-	-	0.5	
	6	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.2	
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
TOTAL—		-	-	-	*	*	0.1	0.4	0.1	0.1	0.1	-	-	-	-	0.7	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	*	0.1	-	-	-	-	-	-	-	-	-	0.1	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Colors	8 2/	-	-	-	-	0.1	0.2	0.7	0.6	*	*	-	-	-	-	1.6	
TOTAL, ALL-----		-	-	0.1	1.9	12.9	24.7	33.7	18.1	6.4	1.9	0.2	*	-	-	100.0	
EXTRANEEOUS MATTER																	
Bark - Level 1		48.9															
Bark - Level 2		-															
Grass - Level 1		-															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		-															
Other - Level 1		-															

Table 10. -- **Louisiana**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.9	1.4	0.6	0.1	*	*	-	3.1
	3	-	-	-	-	*	*	0.3	2.5	5.6	3.6	0.9	0.1	*	*	13.0
	4	-	-	-	-	-	*	*	*	0.2	0.3	0.1	*	*	-	0.6
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.5	3.4	7.2	4.5	1.1	0.1	*	*	16.8
31	1-2	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	-	-	-	0.8
	3	-	-	-	-	-	*	0.7	4.4	8.6	4.8	1.2	0.2	*	*	19.9
	4	-	-	-	-	-	*	0.1	0.8	2.9	3.2	1.1	0.1	*	*	8.3
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	0.5
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.9	5.5	12.0	8.3	2.5	0.3	*	*	29.6
41	1-2	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	-	0.3
	3	-	-	-	-	*	*	0.3	2.3	7.3	6.1	1.4	0.1	*	*	17.4
	4	-	-	-	-	-	*	0.1	0.7	3.3	5.2	2.1	0.3	0.1	*	11.6
	5	-	-	-	-	-	-	*	*	0.3	0.5	0.3	*	*	*	1.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	*	*	0.4	3.1	11.0	11.8	3.7	0.4	0.1	*	30.5
51	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.8	1.6	1.1	0.2	*	*	-	3.9
	4	-	-	-	-	*	*	*	0.5	1.8	2.2	0.8	*	-	-	5.4
	5	-	-	-	-	-	*	*	*	0.1	0.3	0.1	*	*	*	0.6
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.2	1.4	3.6	3.5	1.2	0.1	*	*	9.9
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
32	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.3
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.4	1.1	1.0	0.3	*	*	-	2.9
	4	-	-	-	-	-	*	*	0.2	0.9	1.6	0.7	0.1	*	*	3.6
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.7	2.2	2.8	1.1	0.1	*	*	7.0
52	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.3	0.5	0.3	0.1	*	-	-	1.2
	4	-	-	-	-	-	*	*	0.2	0.8	0.9	0.3	*	*	-	2.3
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	*	0.1	0.5	1.4	1.4	0.5	*	*	-	4.0

* Less than 0.05 percent.

Table 10. -- **Louisiana** : Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	0.2
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	-	0.1	2.1	15.0	37.9	33.2	10.5	1.0	0.1	-	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	0.7															
Bark - Level 2	"															
Grass - Level 1	0.4															
Grass - Level 2	"															
Prep - Level 1	0.3															
Prep - Level 2	"															
Other - Level 1	"															
Other - Level 1	"															

888,182 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. " Less than 0.05 percent.

Table 11. -- **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	0.3	1.5	2.3	1.0	0.1	*	*	-	5.3
	3	-	-	-	-	-	*	0.7	4.9	10.7	7.6	1.7	0.1	*	-	25.6
	4	-	-	-	-	-	*	*	0.4	1.5	1.5	0.5	*	*	-	3.9
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	1.0	6.9	14.5	10.2	2.3	0.1	*	*	34.9
31	1-2	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	-	-	0.4
	3	-	-	-	-	*	*	0.6	2.8	5.2	3.7	0.9	*	*	*	13.3
	4	-	-	-	-	*	*	0.2	1.4	4.3	4.6	1.6	0.1	*	*	12.2
	5	-	-	-	-	-	*	*	0.1	0.3	0.5	0.2	*	*	*	1.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.8	4.5	10.0	8.9	2.8	0.1	*	*	27.2
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	0.3	1.7	3.5	2.2	0.4	*	*	*	8.2
	4	-	-	-	-	*	*	0.1	0.7	2.8	3.2	1.0	0.1	*	*	8.0
	5	-	-	-	-	-	*	*	0.1	0.3	0.5	0.2	*	*	*	1.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.5	2.6	6.7	5.9	1.6	0.1	*	*	17.5
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.3	1.0	1.3	0.7	0.1	*	*	-	3.5
	4	-	-	-	-	*	*	0.2	0.8	2.1	1.9	0.4	*	-	-	5.4
	5	-	-	-	-	*	*	*	0.1	0.3	0.4	0.1	*	*	-	0.9
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.5	1.9	3.7	3.0	0.7	*	*	-	9.9
61	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.3
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	0.1	0.2	0.2	*	*	*	-	0.5
32	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	-	0.5
	4	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	0.6
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	0.2	0.4	0.5	0.1	*	*	-	1.2
42	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.3	0.6	0.4	0.1	*	*	-	1.5
	4	-	-	-	-	*	*	*	0.2	0.9	1.2	0.4	*	*	-	2.7
	5	-	-	-	-	*	*	*	*	0.1	0.3	0.2	*	*	-	0.6
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.5	1.6	1.9	0.6	*	*	-	4.8
52	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	-	-	-	0.7
	4	-	-	-	-	*	*	*	0.2	0.6	0.5	0.1	*	*	-	1.5
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	-	-	0.4
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.5	1.0	0.9	0.2	*	*	-	2.7

* Less than 0.05 percent.

Table 11. -- **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXTRANEEOUS MATTER																
Bark - Level 1	0.8															
Bark - Level 2	"															
Grass - Level 1	0.2															
Grass - Level 2	"															
Prep - Level 1	0.2															
Prep - Level 2	-															
Other - Level 1	"															
Other - Level 1	-															

2,253,307 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 12. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.5	2.3	1.8	1.1	0.2	*	*	-	6.0
	3	-	-	-	-	*	*	0.6	5.1	8.5	5.5	1.3	0.2	*	-	21.2
	4	-	-	-	-	-	*	0.1	0.5	1.1	0.5	0.1	*	-	-	2.3
	5	-	-	-	-	-	-	*	*	*	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	1.2	7.9	11.3	7.2	1.6	0.2	*	*	29.4
31	1-2	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	3	-	-	-	-	*	*	0.2	1.8	3.4	2.7	0.6	*	*	-	8.7
	4	-	-	-	-	-	*	0.1	0.9	2.3	1.8	0.4	*	*	-	5.5
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.3	2.8	5.9	4.6	1.0	0.1	*	-	14.7
41	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	0.7	3.2	3.7	2.4	0.6	*	*	-	10.6
	4	-	-	-	-	-	*	0.1	1.2	2.9	3.0	1.0	0.2	*	-	8.5
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	-	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.9	4.4	6.7	5.5	1.7	0.2	*	-	19.5
51	1-2	-	-	-	-	-	*	*	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	-	-	0.1	1.2	4.8	6.3	2.7	0.5	*	*	-	15.7
	4	-	-	-	-	*	*	0.3	1.5	3.7	2.8	1.2	0.3	-	-	9.7
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	0.1	1.5	6.5	10.1	5.6	1.8	0.4	*	-	25.9
61	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	0.3
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	0.1	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	0.1	0.1	*	*	*	-	-	-	0.3
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	0.1	0.1	*	*	*	*	-	-	0.3
	4	-	-	-	-	-	-	*	*	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	0.2	0.2	0.1	*	*	*	-	-	0.5
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.3	0.9	0.6	0.1	*	*	-	-	2.0
	4	-	-	-	-	-	*	0.1	0.4	0.6	0.2	*	*	-	-	1.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.3	1.4	1.2	0.3	*	*	-	-	3.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	0.5	1.5	0.9	0.2	*	*	-	-	3.2
	4	-	-	-	-	*	*	0.1	0.7	0.7	0.2	*	*	*	-	1.8
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.6	2.3	1.7	0.4	0.1	*	*	-	5.1

* Less than 0.05 percent.

Table 12. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
13 & 23	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	0.1	*	*	*	*	-	0.1
43	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.2
53	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.2
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.3
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	0.1	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL, ALL		-	-	-	-	*	0.3	5.1	25.9	37.7	24.0	6.2	0.9	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.2														
Bark - Level 2		-														
Grass - Level 1		*														
Grass - Level 2		-														
Prep - Level 1		0.3														
Prep - Level 2		-														
Other - Level 1		0.1														
Other - Level 1		-														

800,666 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 13. — **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	0.1	0.2	1.9	9.7	13.2	11.7	2.3	0.5	*	39.6
	3	-	-	-	-	-	*	0.1	0.9	2.8	4.0	4.1	1.1	0.6	*	13.7
	4	-	-	-	-	-	*	*	0.2	0.1	0.2	0.3	0.1	0.1	*	1.0
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	0.1	0.4	3.0	12.7	17.3	16.0	3.6	1.2	0.1	54.4
31	1-2	-	-	-	-	-	*	0.1	0.7	3.3	4.8	3.9	0.6	0.1	*	13.7
	3	-	-	-	-	-	*	0.2	1.2	4.7	6.5	4.8	1.1	0.3	*	18.9
	4	-	-	-	-	-	-	0.1	0.3	0.5	1.1	1.2	0.8	0.2	*	4.1
	5	-	-	-	-	-	-	*	0.1	*	0.1	0.3	0.2	*	*	0.8
	6	-	-	-	-	-	-	-	*	-	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	0.1	0.4	2.4	8.5	12.5	10.3	2.8	0.6	0.1	37.6
41	1-2	-	-	-	-	-	*	*	0.2	0.4	0.2	0.1	*	*	-	0.9
	3	-	-	-	-	-	*	*	0.3	0.7	0.6	0.4	0.1	*	-	2.2
	4	-	-	-	-	-	-	*	0.1	0.2	0.3	0.9	0.5	0.1	-	2.1
	5	-	-	-	-	-	-	*	*	*	0.1	0.4	0.4	*	-	1.0
	6	-	-	-	-	-	-	-	*	-	*	*	0.1	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	0.6	1.3	1.3	1.9	1.1	0.1	-	6.3
51	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	*	-	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	-	*	*	*	*	*	*	*	0.2
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	0.5
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	0.1	0.3	0.3	0.1	*	*	0.9
42	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	*	*	0.1	*	*	*	-	0.2
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	-	-	*	*	-	-	-	*

* Less than 0.05 percent.

Table 13. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	-	*	*	*	-	-	0.2
	4	-	-	-	-	-	-	*	*	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	0.1	0.1	*	-	-	0.2
43	1-2	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	-	*	*	-	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	-	0.2	0.9	6.1	22.7	31.6	28.7	7.6	2.0	0.2	100.0
EXTRANEEOUS MATTER		Average Staple														36.1
		Percent Tenderable														67.9
Bark - Level 1	2.5															
Bark - Level 2	-															
Grass - Level 1	0.1															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	0.1															
Other - Level 1	-															

37,059 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 14. -- **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
31	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	3	-	-	-	-	*	0.1	1.4	4.4	7.2	5.1	1.2	*	*	-	19.5
	4	-	-	-	-	*	*	0.3	1.2	2.6	2.2	0.6	*	*	-	6.9
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.1	1.7	5.7	10.0	7.4	1.9	*	*	-	26.9
41	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	*	*	0.1	2.2	7.7	12.7	8.6	1.7	*	*	-	33.0
	4	-	-	-	*	*	0.1	0.9	4.9	11.1	9.2	2.4	*	*	-	28.7
	5	-	-	-	-	*	*	0.1	0.5	1.1	0.9	0.3	*	*	-	2.8
	6	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.2	3.3	13.1	25.0	18.8	4.3	*	*	-	64.8
51	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	-	*	*	*	0.2	0.3	0.2	*	*	-	-	0.7
	5	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.3	0.5	0.3	0.1	*	-	-	1.2
61	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.2	*	*	-	-	0.8
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	0.5
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.4	0.4	0.3	0.1	*	-	-	1.3
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	0.3	0.6	0.6	0.3	0.1	*	-	-	1.9
	4	-	-	-	-	-	*	0.2	0.6	0.9	0.5	0.1	*	*	-	2.4
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	*	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	0.5	1.3	1.7	1.0	0.2	*	*	*	4.7
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	0.1	0.1	0.1	*	*	*	-	-	0.3

* Less than 0.05 percent.

Table 14. -- **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
43	1-2	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	-	0.3
53	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL, ALL-----		-	-	-	*	*	0.4	5.9	21.1	38.0	27.9	6.6	0.1	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.6															Average Staple 35.1
Bark - Level 2	"															Percent Tenderable 78.2
Grass - Level 1	1.2															
Grass - Level 2	"															
Prep - Level 1	0.2															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

1,299,636 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. " Less than 0.05 percent.

Table 15. -- **Oklahoma:** Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	*	*	*	*	0.1	0.2	0.7	1.1	0.9	0.2	*	-	3.3
	3	-	*	*	*	*	*	0.2	0.5	1.0	2.0	2.8	0.8	0.1	*	7.4
	4	-	-	*	*	*	*	*	0.1	0.1	0.1	0.2	0.1	*	*	0.8
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	*	*	0.1	0.3	0.8	1.8	3.2	3.9	1.1	0.1	*	11.4
31	1-2	-	*	*	-	*	*	0.1	0.4	1.0	1.2	0.8	0.1	*	-	3.7
	3	-	*	*	*	0.1	0.3	0.5	1.9	5.3	8.4	6.8	1.0	0.1	*	24.5
	4	-	*	*	*	*	0.2	0.4	0.8	1.5	1.9	1.4	0.3	*	*	6.5
	5	-	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL----	-	*	*	*	0.1	0.5	1.1	3.2	8.0	11.7	9.1	1.4	0.1	*	35.4
41	1-2	-	-	*	*	*	*	*	0.1	0.4	0.3	*	*	-	-	0.9
	3	-	*	*	0.1	0.2	0.4	0.7	1.5	4.0	4.5	1.9	0.2	*	*	13.5
	4	-	-	*	*	0.1	0.4	0.9	1.2	2.0	2.0	1.0	0.2	*	*	7.8
	5	-	-	-	*	*	0.1	0.3	0.5	0.6	0.5	0.2	*	*	*	2.2
	6	-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL----	-	*	*	0.1	0.3	1.0	1.9	3.4	7.1	7.2	3.1	0.4	*	*	24.5
51	1-2	-	-	*	*	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	*	*	0.1	0.4	0.9	1.0	1.3	1.4	0.8	0.4	*	*	*	6.2
	4	-	*	*	*	0.2	0.8	1.1	1.1	1.1	0.5	0.2	*	-	*	5.1
	5	-	-	*	*	*	0.2	0.3	0.4	0.3	0.1	*	*	-	-	1.5
	6	-	-	-	-	*	*	0.1	*	*	*	*	-	-	-	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	*	*	0.2	0.6	1.9	2.5	2.9	2.9	1.5	0.7	0.1	*	*	13.2
61	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
	4	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	*	-	1.0
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	-	0.3
32	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	*	*	*	0.1	0.1	0.1	0.2	0.2	0.1	*	*	-	0.8
	4	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.5
	5	-	-	-	*	*	*	*	*	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	*	0.1	0.1	0.2	0.2	0.4	0.3	0.2	*	*	-	1.5
42	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	0.2	0.4	0.5	0.3	0.2	0.3	0.1	*	*	-	2.0
	4	-	-	*	*	0.1	0.4	0.5	0.4	0.2	0.1	0.1	*	*	*	1.9
	5	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.5
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	TOTAL----	-	*	*	0.1	0.3	0.9	1.1	0.8	0.6	0.5	0.2	*	*	*	4.5
52	1-2	-	*	*	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	*	*	0.1	0.2	0.4	0.5	0.4	0.2	0.1	*	*	*	-	1.9
	4	-	-	*	0.1	0.2	0.5	0.6	0.5	0.2	0.1	*	*	*	-	2.1
	5	-	-	*	*	0.1	0.2	0.2	0.2	0.1	*	*	-	*	-	0.7
	6	-	-	-	*	*	*	0.1	*	*	*	*	-	-	-	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	*	*	0.1	0.5	1.1	1.4	1.1	0.5	0.2	*	*	*	-	5.0

* Less than 0.05 percent.

Table 15. -- **Oklahoma**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	*	*	-	-	-	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	TOTAL----	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
13 & 23	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	*	*	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	-	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	-	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
43	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	*	*	*	0.1	0.1	0.1	0.2	0.2	0.1	*	*	-	0.9
	4	-	-	*	*	*	0.1	0.1	0.1	*	0.1	*	*	*	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	TOTAL----	-	-	*	*	0.1	0.2	0.2	0.2	0.2	0.3	0.1	*	*	-	1.4
53	1-2	-	-	*	*	*	-	-	-	*	*	-	-	-	-	*
	3	-	*	*	*	*	*	*	*	*	*	-	*	*	-	0.2
	4	-	-	*	*	*	*	0.1	*	*	*	*	*	*	-	0.2
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	TOTAL----	-	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	*	-	0.6
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	-	*	*	*	-	-	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	*	-	*
24-54	1-7	-	-	-	*	*	*	*	*	*	0.1	*	*	-	-	0.3
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL, ALL-----		*	*	0.1	0.7	2.3	6.1	9.2	13.3	22.1	25.3	17.5	3.1	0.3	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	12.7															
Bark - Level 2	*															
Grass - Level 1	*															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

198,689 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 16. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	0.1	0.2	0.2	-	-	-	-	0.6
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	0.2	0.3	0.2	-	-	-	-	0.7
31	1-2	-	-	-	-	-	-	-	0.2	0.2	0.1	-	-	-	-	0.6
	3	-	-	-	-	-	-	1.0	6.0	12.4	6.6	1.1	-	-	-	27.1
	4	-	-	-	-	-	-	0.1	0.8	2.4	2.1	0.5	-	-	-	5.9
	5	-	-	-	-	-	-	-	-	-	0.1	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	0.1	1.1	7.0	15.1	8.8	1.6	-	-	-	33.7
41	1-2	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.2
	3	-	-	-	-	-	0.1	1.6	9.4	16.4	7.8	1.2	-	-	-	36.5
	4	-	-	-	-	-	-	0.5	3.6	8.8	6.1	1.3	-	-	-	20.3
	5	-	-	-	-	-	-	-	0.1	0.5	0.5	0.1	-	-	-	1.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	0.1	2.2	13.2	25.7	14.4	2.6	0.1	-	-	58.3
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	0.2	0.2	0.1	-	-	-	-	0.6
	4	-	-	-	-	-	-	0.1	0.3	0.4	0.2	-	-	-	-	1.1
	5	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	0.2	0.6	0.7	0.3	-	-	-	-	1.9
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	0.1	0.2	0.3	0.1	-	-	-	-	0.6
	4	-	-	-	-	-	-	-	0.1	0.2	0.1	-	-	-	-	0.4
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	0.1	0.3	0.4	0.2	-	-	-	-	1.0
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	0.1	0.5	0.6	0.2	-	-	-	-	1.5
	4	-	-	-	-	-	-	0.1	0.5	0.8	0.5	0.1	-	-	-	2.0
	5	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	0.3	1.0	1.5	0.7	0.1	-	-	-	3.6
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	0.1	0.2	0.1	-	-	-	-	0.4

* Less than 0.05 percent.

Table 16. — **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	-	0.3	3.9	22.5	44.0	24.7	4.5	0.1	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.5															Average Staple 35.0
Bark - Level 2	-															Percent Tenderable 82.0
Grass - Level 1	0.7															
Grass - Level 2	*															
Prep - Level 1	0.1															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

354,003 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. — **Tennessee**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.1	0.7	1.1	0.6	0.2	*	*	-	-	2.7
	3	-	-	-	-	*	0.2	3.0	6.9	4.6	1.2	0.1	*	-	-	16.1
	4	-	-	-	-	*	0.2	0.9	0.8	0.2	*	*	-	-	-	2.2
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.4	3.9	9.0	6.1	1.6	0.2	*	-	-	21.1
31	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
	3	-	-	-	-	*	0.2	2.1	4.7	3.1	0.8	0.1	*	-	-	11.1
	4	-	-	-	-	*	0.1	0.8	3.0	3.1	0.9	0.1	*	-	-	8.1
	5	-	-	-	-	-	*	0.1	0.3	0.4	0.1	*	*	-	*	1.0
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.3	3.1	8.2	6.7	2.0	0.3	*	-	*	20.6
41	1-2	-	-	-	-	-	0.2	0.2	0.1	*	*	*	-	-	-	0.5
	3	-	-	-	-	0.1	1.9	6.2	6.6	2.9	0.5	*	*	-	-	18.3
	4	-	-	-	-	*	0.2	1.6	3.8	2.8	0.9	0.2	*	-	-	9.4
	5	-	-	-	-	-	*	*	0.2	0.3	0.1	*	*	-	-	0.7
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	0.2	2.3	8.0	10.7	5.9	1.6	0.2	*	-	-	28.9
51	1-2	-	-	-	-	*	0.1	0.1	*	*	*	*	-	-	-	0.2
	3	-	-	-	-	0.1	1.2	3.5	3.4	1.3	0.2	*	*	-	-	9.7
	4	-	-	-	-	*	0.2	1.3	2.7	1.8	0.5	0.1	*	-	-	6.7
	5	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	0.1	1.5	5.0	6.3	3.2	0.8	0.1	*	-	-	17.0
61	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	0.1	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	*	-	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.2
32	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	4	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.2	0.3	0.2	0.1	*	-	-	-	0.8
42	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	*	0.5	1.6	1.2	0.4	0.1	*	-	-	-	3.9
	4	-	-	-	-	*	0.1	0.6	1.0	0.6	0.1	*	*	-	-	2.4
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.6	2.2	2.3	1.1	0.2	*	*	-	-	6.5
52	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	0.3	0.8	0.6	0.2	*	*	*	-	-	1.8
	4	-	-	-	-	*	0.1	0.5	0.7	0.4	0.1	*	-	-	-	1.7
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.4	1.3	1.4	0.6	0.1	*	*	-	-	3.8

* Less than 0.05 percent.

Table 17. -- **Tennessee**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
13 & 23	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	0.1	*	*	*	*	*	*	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
53	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	*	0.2
63	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		-	-	-	-	0.4	5.6	24.0	38.6	24.1	6.4	0.8	*	*	*	100.0
EXTRANEEOUS MATTER		Average Staple														34.0
		Percent Tenderable														75.7
Bark - Level 1	0.8															
Bark - Level 2	-															
Grass - Level 1	0.1															
Grass - Level 2	-															
Prep - Level 1	0.2															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	*															

940,807 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 18. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	0.1	0.3	0.4	0.6	0.4	0.3	*	*	*	2.1
	3	-	-	*	*	*	0.2	0.6	1.3	2.0	2.0	2.3	0.5	*	*	9.0
	4	-	-	*	*	*	*	0.1	0.2	0.3	0.4	0.5	0.2	*	*	1.7
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	*	0.3	0.9	1.9	2.8	2.8	3.2	0.7	*	*	12.8
31	1-2	-	-	*	*	*	0.1	0.3	0.4	0.4	0.2	0.1	*	*	-	1.6
	3	-	-	*	*	0.1	0.5	1.7	3.5	4.8	4.2	3.3	0.6	*	*	18.7
	4	-	-	*	*	*	0.2	0.7	1.7	2.6	3.0	3.2	0.7	*	*	12.2
	5	-	-	*	*	*	*	0.1	0.1	0.2	0.2	0.3	0.1	*	*	1.0
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	*	*	0.2	0.8	2.8	5.7	8.0	7.7	6.9	1.4	0.1	*	33.5
41	1-2	-	-	*	*	*	*	0.1	0.1	*	*	*	*	-	-	0.4
	3	-	*	*	*	0.1	0.5	1.6	2.8	3.1	1.8	0.8	0.1	*	-	10.9
	4	-	*	*	*	0.1	0.4	1.4	3.2	4.2	3.5	2.0	0.3	*	*	15.2
	5	-	-	*	*	*	0.1	0.2	0.5	0.6	0.6	0.5	0.1	*	*	2.7
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	*	*	*	0.2	1.0	3.3	6.7	8.2	6.0	3.4	0.5	*	*	29.4
51	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	*	*	*	0.1	0.3	0.5	0.4	0.2	0.1	*	*	-	1.7
	4	-	*	*	*	*	0.1	0.2	0.5	0.7	0.6	0.3	*	*	*	2.4
	5	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	0.8
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	*	*	*	*	0.2	0.6	1.2	1.3	1.0	0.5	0.1	*	*	4.9
61	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	*	*	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	0.8
	4	-	-	*	*	*	*	*	*	*	*	0.1	*	*	*	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	*	*	0.1	0.2	0.2	0.2	0.2	0.2	0.1	*	*	1.2
32	1-2	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	*	*	*	*	0.2	0.4	0.6	0.6	0.4	0.2	*	*	*	2.5
	4	-	*	*	*	*	0.1	0.3	0.5	0.5	0.4	0.4	0.1	*	*	2.1
	5	-	-	-	*	*	*	*	*	*	*	0.1	*	*	*	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	*	*	*	0.1	0.3	0.8	1.2	1.1	0.8	0.6	0.1	*	*	5.1
42	1-2	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	*	*	*	0.1	0.2	0.5	0.5	0.4	0.2	0.1	*	*	-	2.0
	4	-	*	*	*	0.1	0.2	0.7	1.0	0.8	0.5	0.3	*	*	*	3.7
	5	-	-	*	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	0.9
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	*	*	*	0.2	0.6	1.3	1.7	1.4	0.9	0.5	0.1	*	*	6.7
52	1-2	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	*	*	*	*	*	0.1	0.1	*	*	*	*	-	-	0.3
	4	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.5
	5	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	0.1	*	*	*	1.1

* Less than 0.05 percent.

Table 18. — **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	*	*	*	*	-	*	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	*	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
33	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	*	*	*	*	0.1	0.2	0.3	0.3	0.2	*	*	*	-	1.0
	4	-	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	0.6
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL----	-	*	*	*	*	0.1	0.2	0.4	0.5	0.3	0.1	*	*	*	1.7
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	-	0.8
	4	-	*	*	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	*	*	1.3
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	-	*	*	*	*	*	*	-	-	*
	TOTAL----	-	*	*	*	0.1	0.2	0.4	0.6	0.6	0.4	0.2	*	*	*	2.4
53	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.2
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
24-54	1-7	-	-	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	-	0.8
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
TOTAL, ALL-----		*	*	*	0.2	0.9	3.7	10.9	20.2	24.6	20.4	15.8	3.1	0.2	*	100.0
EXTRANEEOUS MATTER		Average Staple														35.0
		Percent Tenderable														49.0
Bark - Level 1	27.9															
Bark - Level 2	*															
Grass - Level 1	0.8															
Grass - Level 2	*															
Prep - Level 1	0.1															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	*															

4,349,380 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 19. -- *Virginia*: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
31	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	0.2	1.0	2.2	3.2	2.6	0.6	*	-	-	9.8
	4	-	-	-	-	*	*	0.3	1.3	2.3	1.7	0.4	*	-	-	6.0
	5	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.2	1.4	3.5	5.5	4.3	1.0	*	-	-	16.0
41	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	0.2	2.3	7.0	10.7	8.6	1.6	*	-	-	30.4
	4	-	-	-	-	-	0.1	1.4	8.4	16.4	12.5	2.8	*	-	-	41.6
	5	-	-	-	-	-	*	0.1	0.7	1.3	0.8	0.2	*	-	-	3.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.3	3.7	16.0	28.4	22.0	4.6	*	-	-	75.1
51	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.4
	4	-	-	-	-	-	*	0.1	0.2	0.4	0.4	0.2	*	-	-	1.2
	5	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	-	-	0.2
	6	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.1	0.3	0.6	0.5	0.2	*	-	-	1.8
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	-	-	-	*	*	-	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	-	-	-	0.6
42	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	*	0.2	0.5	0.6	0.2	0.1	*	-	-	1.5
	4	-	-	-	-	-	*	0.3	1.1	1.7	0.6	0.1	*	-	-	3.8
	5	-	-	-	-	-	*	*	0.1	0.3	0.1	*	-	-	-	0.6
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.4	1.7	2.6	1.0	0.2	*	-	-	5.9
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	-	0.3

* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2004

QUALITY		LEAF	STAPLE														TOTAL	
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	-	-	*	-	-	-	-	-	*		
13 & 23	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	*	*	-	-	-	*		
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	-	-	-	*	*	-	-	-	*		
33	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	*	*	-	-	-	*		
	4		-	-	-	-	-	*	*	*	-	-	-	-	-	*		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	*	*	*	*	-	-	-	-	*		
43	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	*	*	*	*	*	-	-	-	0.1		
	4		-	-	-	-	-	*	*	*	*	*	-	-	-	0.1		
	5		-	-	-	-	-	-	*	*	*	-	-	-	-	*		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	*	*	0.1	*	*	-	-	-	0.1		
53	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	4		-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	-	*	*	*	*	-	-	-	*		
63	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	*	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24-54	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
25-35	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Colors	8 2/		-	-	-	-	*	0.5	5.8	21.9	37.6	28.0	6.2	*	-	100.0		
TOTAL, ALL-----			-	-	-	-	*	0.5	5.8	21.9	37.6	28.0	6.2	*	-	100.0		
EXTRANEIOUS MATTER																	Average Staple	35.1
																	Percent Tenderable	82.4
Bark - Level 1			1.6															
Bark - Level 2			-															
Grass - Level 1			0.6															
Grass - Level 2			-															
Prep - Level 1			0.4															
Prep - Level 2			-															
Other - Level 1			-															
Other - Level 1			-															

140,194 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through
December 30, 2004

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
MIKE 24 & below	*	*	-	*	-	*	0.2	-	*
25	*	*	*	*	-	*	0.3	-	*
26	*	0.1	*	*	*	*	0.6	*	*
27	*	0.1	*	*	*	*	0.7	*	*
28	*	0.1	*	*	*	*	0.8	*	*
29	*	0.1	*	*	*	*	1.2	*	*
30	0.1	0.1	*	*	0.1	*	1.1	*	*
31	0.1	0.2	*	*	0.2	0.1	2.0	*	*
32	0.3	0.2	0.1	0.1	0.4	0.2	1.8	*	*
33	0.6	0.3	0.1	0.2	0.8	0.4	1.9	*	0.1
34	0.9	0.4	0.3	0.3	1.2	0.6	2.3	*	0.1
35	1.5	0.6	0.7	0.6	2.2	1.1	2.5	0.1	0.2
36	2.1	0.8	1.4	1.0	3.4	1.6	3.5	0.1	0.4
37	3.2	1.3	2.2	1.8	4.9	2.4	3.6	0.2	0.8
38	4.2	1.7	3.4	3.1	5.9	3.4	3.4	0.3	1.2
39	5.1	2.0	4.6	4.7	7.3	4.7	4.1	0.5	1.7
40	6.0	2.5	6.0	6.6	8.3	5.9	5.3	0.8	2.3
41	6.8	3.2	7.4	8.9	9.6	7.2	9.2	1.5	3.3
42	7.7	4.1	8.8	10.7	9.3	8.1	9.9	2.6	4.5
43	8.5	5.2	9.9	11.7	9.3	8.9	8.2	4.1	6.0
44	9.0	6.3	10.4	11.5	8.4	9.6	5.1	6.1	7.5
45	9.3	7.3	10.5	10.1	7.6	10.0	8.3	8.4	9.6
46	8.9	8.4	9.5	8.5	6.7	9.7	5.4	10.9	11.6
47	8.0	9.5	8.2	7.3	5.6	8.4	6.6	13.2	13.0
48	6.5	10.3	6.4	5.5	4.3	6.5	4.6	14.3	12.6
49	4.9	10.2	4.4	3.6	2.5	4.6	3.3	13.7	10.3
50	3.1	8.7	2.7	2.1	1.3	2.9	3.3	10.8	6.9
51	1.7	6.7	1.5	0.9	0.4	1.8	0.6	7.0	4.1
52	0.9	4.6	0.8	0.4	0.2	1.1	0.1	3.5	2.3
53	0.3	2.7	0.3	0.1	*	0.5	*	1.2	0.9
54	0.1	1.4	0.1	0.1	*	0.2	*	0.4	0.3
55	*	0.6	*	*	*	0.1	*	0.1	0.1
56	*	0.2	*	*	*	*	-	*	*
57	*	*	*	*	-	*	-	*	*
58	*	*	*	*	-	*	-	*	*
59	-	*	*	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-
Average mike	44	46	44	44	42	44	41	47	46
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	*	-	-
20	*	-	-	-	-	-	*	-	*
21	*	*	*	*	*	*	*	-	*
22	*	*	*	*	*	*	0.1	*	*
23	0.3	*	*	*	*	*	0.1	*	*
24	1.4	0.4	0.2	*	0.2	0.1	0.5	0.1	0.2
25	5.1	1.8	1.0	0.1	1.0	0.6	1.6	0.3	0.6
26	12.4	4.9	3.8	0.4	4.3	2.4	3.5	1.6	2.3
27	18.5	10.0	10.6	1.1	12.4	7.6	8.1	6.3	6.5
28	20.4	16.0	20.8	2.3	22.7	17.3	16.1	17.1	15.7
29	16.9	20.3	26.1	3.7	27.3	25.3	25.5	27.2	25.8
30	11.2	20.6	19.9	7.3	19.2	22.3	27.5	23.8	25.1
31	7.1	14.5	10.2	14.4	8.7	13.4	12.7	12.7	14.4
32	4.0	7.4	4.6	17.3	3.2	6.7	3.0	5.8	6.0
33	1.8	2.9	2.0	20.5	0.9	3.0	1.0	2.9	2.2
34	0.6	0.9	0.6	19.6	0.2	1.1	0.3	1.5	0.7
35	0.2	0.3	0.2	9.7	*	0.1	*	0.6	0.3
36 & above	*	0.1	*	3.6	*	*	*	0.2	0.1
Average strength	28.2	29.3	29.1	32.5	28.9	29.5	29.1	29.5	29.5

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through
December 30, 2004

MIKE AND FIBER STRENGTH		MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
MIKE	24 & below	*	0.3	*	*	*	-	0.1	-	*
	25	*	0.3	*	*	*	*	0.2	-	*
	26	*	0.4	*	*	*	*	0.4	-	0.1
	27	*	0.5	*	0.1	*	*	0.7	-	0.2
	28	*	0.9	*	0.1	*	*	1.2	*	0.3
	29	*	1.4	*	0.3	*	*	1.7	*	0.4
	30	*	2.2	*	0.4	*	*	2.2	*	0.6
	31	*	3.9	*	0.6	*	*	2.7	*	0.7
	32	0.1	5.9	*	0.7	0.1	0.1	3.2	*	0.9
	33	0.1	6.6	*	1.0	0.1	0.2	3.7	*	1.1
	34	0.3	7.0	0.1	1.5	0.2	0.3	4.2	*	1.3
	35	0.8	8.1	0.1	2.2	0.3	0.5	4.7	0.1	1.6
	36	1.6	7.0	0.2	3.2	0.5	0.9	4.9	0.2	2.0
	37	2.8	7.7	0.4	3.8	0.8	1.4	5.1	0.5	2.5
	38	4.2	6.9	0.7	4.6	1.2	2.3	5.4	0.9	3.2
	39	5.1	6.1	1.4	5.9	1.8	3.4	5.5	2.1	3.9
	40	6.3	6.2	2.6	7.2	2.7	5.0	5.7	4.2	4.8
	41	7.6	6.3	4.2	8.5	3.9	6.6	5.8	6.8	5.9
	42	8.6	5.9	6.2	9.4	5.5	7.9	5.8	8.5	6.8
	43	9.0	4.8	8.0	9.7	7.7	9.0	5.8	10.5	7.7
	44	9.2	3.8	9.8	9.7	10.1	10.2	5.8	12.3	8.4
	45	9.0	2.9	11.6	8.9	11.9	10.8	5.6	13.7	8.9
	46	8.5	1.9	12.7	7.0	12.6	10.4	5.1	12.8	8.9
	47	7.6	1.4	12.1	5.1	11.9	9.3	4.4	10.2	8.4
	48	6.5	0.7	10.2	3.7	9.9	7.6	3.6	7.0	7.3
	49	5.2	0.5	7.7	2.7	7.5	5.6	2.6	4.9	5.7
	50	3.6	0.3	5.3	1.6	5.3	3.8	1.7	2.9	3.9
	51	2.1	0.1	3.3	1.0	3.3	2.2	1.1	1.6	2.4
	52	1.0	*	1.9	0.5	1.7	1.2	0.6	0.8	1.3
	53	0.4	*	0.9	0.2	0.7	0.6	0.2	0.1	0.5
	54	0.1	*	0.4	0.1	0.3	0.3	0.1	*	0.2
	55	*	*	0.1	*	*	0.1	*	*	0.1
	56	*	*	*	*	*	*	*	*	*
	57	*	-	*	*	*	*	*	-	*
	58	*	-	*	*	-	*	*	-	*
	59	-	-	-	*	-	-	*	-	*
	60 & above	-	-	-	-	-	-	*	-	*
Average mike		44	38	46	42	46	45	40	45	46
FIBER STRENGTH 1/										
17 & below	17 & below	-	-	-	-	-	-	-	-	-
	18	-	-	-	*	-	-	*	-	*
	19	-	-	-	*	-	-	*	-	*
	20	-	-	-	*	-	-	*	-	*
	21	*	*	*	*	*	*	*	*	*
	22	*	*	*	*	*	*	*	*	*
	23	0.1	0.1	0.2	0.1	*	0.2	0.1	0.2	0.1
	24	0.5	0.4	1.3	0.4	0.3	1.0	0.4	1.6	0.4
	25	2.2	2.3	5.3	1.3	1.8	3.8	1.6	6.4	1.7
	26	7.7	5.3	12.9	4.7	5.8	10.5	4.8	15.9	5.0
	27	18.0	12.3	21.6	11.2	14.5	19.6	10.1	23.4	10.8
	28	26.5	20.3	23.4	17.5	24.6	24.7	16.0	23.2	17.5
	29	23.6	21.1	17.2	20.3	24.0	20.0	18.2	15.0	20.4
	30	12.6	16.6	10.0	17.5	15.3	11.3	15.2	8.1	16.7
	31	5.5	10.8	5.0	11.8	8.0	5.1	11.9	3.8	11.0
	32	2.3	5.9	2.1	7.1	3.8	2.3	10.5	1.5	7.2
	33	0.8	3.0	0.8	4.0	1.4	1.0	7.2	0.6	4.8
	34	0.2	1.3	0.2	2.4	0.4	0.3	3.1	0.2	2.9
	35	*	0.5	*	1.2	0.1	0.1	0.8	*	1.2
	36 & above	*	0.1	*	0.6	*	*	0.2	*	0.4
Average strength		28.4	29.1	28.0	29.4	28.7	28.2	29.6	27.7	29.4

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through December 30, 2004

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
UNIFORMITY 1/									
72 & below	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	*	-	-	-
76	-	*	-	*	-	*	*	-	-
77	0.1	0.3	*	0.1	0.2	*	0.3	*	*
78	1.0	2.0	*	0.5	2.0	2.2	1.9	0.5	0.1
79	4.9	8.2	0.9	2.3	9.9	12.4	4.0	4.6	1.9
80	16.2	24.9	6.9	8.5	31.4	32.9	17.1	20.4	12.2
81	33.8	37.2	24.5	30.9	36.6	32.7	51.1	34.5	31.4
82	32.4	21.8	44.1	42.4	16.5	15.8	21.8	26.6	33.8
83	10.7	5.2	21.0	12.7	3.2	3.7	3.7	11.6	17.4
84	1.1	0.5	2.5	1.8	0.3	0.4	0.1	1.7	3.1
85	*	*	0.1	0.5	*	*	-	*	0.1
86	*	-	*	0.2	-	*	-	*	*
87	-	-	-	*	-	-	-	-	-
88	-	-	-	*	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
Average uniformity	81.3	80.9	81.9	81.6	80.7	80.6	81.0	81.2	81.6
TRASH 2/									
0.0	-	*	*	*	-	*	-	*	*
0.1	0.2	35.9	1.3	31.6	0.3	0.2	-	1.7	2.2
0.2	4.8	38.6	10.4	38.0	4.3	4.4	*	11.9	13.6
0.3	17.7	16.2	20.7	18.3	17.1	17.3	0.6	21.6	21.7
0.4	21.8	5.5	21.1	7.1	24.3	27.1	2.2	20.9	19.1
0.5	21.3	2.0	16.7	2.9	23.9	21.6	5.1	17.1	14.2
0.6	14.9	0.9	13.4	1.4	15.8	14.6	8.2	11.1	12.1
0.7	8.9	0.4	7.7	0.5	8.0	7.8	10.1	7.6	6.7
0.8	4.8	0.2	4.4	0.2	3.5	3.7	10.0	4.1	4.6
0.9	2.9	0.1	2.6	0.1	1.7	1.9	10.7	2.3	3.1
1.0	1.1	0.1	0.8	*	0.5	0.6	9.7	0.8	1.2
1.1	0.6	*	0.5	*	0.3	0.3	9.1	0.5	0.8
1.2	0.4	*	0.2	*	0.1	0.2	7.6	0.3	0.4
1.3	0.2	*	*	*	0.1	0.1	5.7	0.1	0.1
1.4	0.1	*	*	*	*	0.1	5.7	0.1	0.1
1.5	0.1	*	*	*	*	*	4.3	*	0.1
1.6	*	*	*	*	*	*	2.6	*	*
1.7	*	*	*	*	*	*	2.0	*	*
1.8 & above	0.1	*	*	*	*	*	6.2	*	0.1
Average trash	0.50	0.21	0.46	0.22	0.48	0.48	1.03	0.45	0.46

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through December 30, 2004

UNIFORMITY AND TRASH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
UNIFORMITY 1/									
72 & below	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	*	-	*
75	-	-	-	*	-	-	*	-	*
76	-	*	-	0.1	-	-	0.1	-	*
77	*	0.2	*	0.8	*	*	0.7	*	0.2
78	*	2.1	0.2	3.4	0.6	0.1	3.9	*	1.4
79	0.4	12.1	1.7	11.9	4.4	1.2	12.7	0.7	6.0
80	3.2	30.3	8.8	26.0	17.1	8.1	23.6	4.6	16.4
81	20.0	31.2	26.5	31.4	33.1	30.9	25.4	19.7	28.7
82	49.2	17.9	38.8	19.3	29.8	42.2	20.0	44.4	31.1
83	24.4	5.4	20.2	6.2	12.9	15.6	11.1	26.2	13.8
84	2.7	0.7	3.6	1.0	2.0	1.8	2.2	4.3	2.1
85	0.1	*	0.1	*	*	*	0.1	0.1	0.1
86	*	-	-	-	-	*	*	-	*
87	-	-	-	-	-	-	-	-	*
88	-	-	-	-	-	-	-	-	*
89	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
Average uniformity	82.0	80.7	81.8	80.7	81.3	81.7	80.9	82.0	81.3
TRASH 2/									
0.0	*	*	*	*	-	*	*	-	*
0.1	2.6	18.9	0.1	3.5	0.1	1.0	1.1	*	4.7
0.2	15.0	31.7	2.5	20.4	4.2	10.6	9.0	0.7	12.4
0.3	24.8	24.3	14.1	25.4	19.0	22.9	19.9	7.2	19.6
0.4	22.3	11.8	22.9	16.6	25.8	22.9	19.4	17.9	19.7
0.5	15.9	5.5	23.3	12.5	22.5	17.1	16.0	25.3	15.9
0.6	10.4	3.6	17.0	8.0	14.1	12.1	12.4	22.0	11.8
0.7	5.2	1.9	10.1	5.4	7.5	6.6	7.9	14.1	6.9
0.8	2.3	1.1	4.9	2.9	3.3	3.5	5.2	6.8	3.9
0.9	1.1	0.6	2.7	1.9	1.8	1.9	3.5	3.6	2.4
1.0	0.3	0.3	1.1	1.1	0.7	0.7	2.0	1.2	1.0
1.1	0.1	0.1	0.6	0.7	0.4	0.4	1.3	0.6	0.7
1.2	*	0.1	0.3	0.5	0.2	0.1	0.8	0.3	0.4
1.3	*	*	0.2	0.3	0.1	0.1	0.5	0.1	0.2
1.4	*	*	0.1	0.2	0.1	*	0.3	*	0.1
1.5	*	*	*	0.2	*	*	0.2	*	0.1
1.6	*	-	*	0.1	*	*	0.1	*	*
1.7	*	*	*	0.1	*	*	0.1	*	*
1.8 & above	*	*	*	0.3	*	*	0.2	*	0.1
Average trash	0.41	0.29	0.52	0.42	0.48	0.45	0.50	0.56	0.45

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. * Less than 0.05 percent.

Table 22. - Quality of American Pima cotton classed for producers by State and United States through December 30, 2004

Quality Designation	Leaf	Arizona	California	New Mexico	Texas	United States
01	1	37.2	18.7	4.4	1.1	17.6
	2	20.5	4.9	11.7	1.9	5.1
	3	-	0.1	1.7	*	0.1
	4	-	*	*	-	*
	5	-	*	-	-	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		57.7	23.7	17.8	3.1	22.7
02	1	7.6	6.9	3.5	7.9	6.9
	2	29.2	36.5	44.6	75.3	38.7
	3	0.8	7.5	28.4	6.3	7.8
	4	*	1.1	2.3	*	1.1
	5	-	0.1	-	*	0.1
	6	-	*	-	-	*
	7	-	-	-	-	-
Total -----		37.6	52.2	78.9	89.4	54.7
03	1	-	*	*	0.1	*
	2	3.0	2.5	0.7	4.8	2.6
	3	0.3	7.3	1.9	2.4	6.9
	4	0.1	3.0	0.6	0.1	2.8
	5	0.1	1.3	*	*	1.2
	6	-	0.1	-	-	0.1
	7	-	-	-	-	-
Total -----		3.4	14.3	3.3	7.4	13.6
04	1	-	*	-	-	*
	2	0.2	0.9	*	*	0.8
	3	0.1	2.2	-	*	2.0
	4	*	2.8	-	*	2.5
	5	0.6	0.9	-	-	0.8
	6	0.1	0.1	-	-	0.1
	7	-	*	-	-	*
Total -----		1.0	6.9	*	0.1	6.4
05	1	-	*	-	-	*
	2	-	0.1	-	-	0.1
	3	-	0.5	-	*	0.5
	4	-	0.8	-	-	0.7
	5	0.2	0.8	-	-	0.7
	6	0.1	0.1	-	-	0.1
	7	-	*	-	-	*
Total -----		0.3	2.3	-	*	2.1
06	1	-	-	-	*	*
	2	-	*	-	-	*
	3	-	0.1	-	-	0.1
	4	-	0.1	-	-	0.1
	5	-	0.2	-	-	0.2
	6	-	0.1	-	-	0.1
	7	-	*	-	-	*
Total -----		-	0.5	-	*	0.5
07	1	*	*	-	-	*
	2	-	*	-	-	*
	3	-	*	-	-	*
	4	-	*	-	-	*
	5	-	*	-	-	*
	6	-	*	-	-	*
	7	-	*	-	-	*
Total -----		*	*	-	-	*
STAPLE						
40 & shorter		-	*	-	-	*
42		-	0.1	*	-	0.1
44		15.6	8.7	1.8	5.4	8.4
46		49.4	57.2	40.9	60.1	56.9
48 & longer		34.9	34.0	57.4	34.4	34.6
Average		46.4	46.5	47.1	46.6	46.5
UNIFORMITY						
72 & below		-	-	-	-	-
73		-	-	-	-	-
74		-	-	-	-	-
75		-	-	-	-	-
76		-	-	-	-	-
77		-	-	-	-	-
78		-	-	-	-	-
79		-	-	-	-	-
80		-	*	*	-	*
81		0.1	0.1	0.1	0.1	0.1
82		1.7	1.1	0.8	0.9	1.1
83		9.2	6.2	5.5	7.2	6.3
84		26.2	22.8	19.3	23.7	22.8
85		31.7	42.9	36.0	34.5	42.2
86		21.4	22.0	26.9	23.1	22.2
87		7.7	4.5	9.5	8.5	4.8
88		2.0	0.3	1.8	1.9	0.4
89		0.1	*	0.2	0.1	*
90 & above		-	-	*	-	*
Average		84.9	84.9	85.2	85.1	84.9
BALES CLASSED		4,791	479,429	11,244	28,347	523,811

* Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through December 30, 2004

Quality Designation	Arizona	California	New Mexico	Texas	United States
MIKE					
24 & below	-	-	-	-	-
25 - 26	-	*	-	*	*
27 - 29	0.1	0.2	0.3	0.1	0.2
30 - 32	1.1	1.1	2.1	1.0	1.1
33 - 34	1.2	1.5	4.2	4.6	1.8
35 - 36	3.1	3.1	6.4	12.2	3.6
37 - 42	76.7	69.6	52.3	66.5	69.1
43 - 49	17.8	24.4	34.7	15.6	24.1
50 - 52	-	*	-	-	*
53 & above	-	*	-	-	*
Average	40	41	41	39	41
ALL MIKE					
24 & below	-	-	-	-	-
25	-	*	-	*	*
26	-	*	-	*	*
27	-	*	-	*	*
28	-	0.1	*	*	0.1
29	0.1	0.2	0.2	0.1	0.1
30	0.2	0.2	0.4	0.1	0.2
31	0.5	0.4	0.7	0.2	0.4
32	0.3	0.5	0.9	0.7	0.5
33	0.6	0.7	1.7	1.6	0.8
34	0.7	0.9	2.5	3.1	1.0
35	1.0	1.2	2.9	5.2	1.4
36	2.1	1.9	3.6	7.0	2.2
37	4.4	3.6	4.5	9.4	3.9
38	12.9	7.1	5.9	11.1	7.3
39	18.4	11.4	8.2	12.2	11.5
40	18.5	15.2	9.6	12.4	14.9
41	13.1	16.7	11.5	11.5	16.3
42	9.5	15.6	12.7	9.8	15.2
43	8.5	12.6	12.2	6.7	12.2
44	5.4	7.4	10.1	4.2	7.3
45	3.0	3.1	6.5	2.5	3.2
46	0.8	0.9	3.7	1.2	1.0
47	0.1	0.3	1.5	0.6	0.3
48	*	0.1	0.6	0.3	0.1
49	-	*	0.2	0.1	*
50	-	*	-	-	*
51	-	*	-	-	*
52	-	*	-	-	*
53	-	*	-	-	*
54	-	-	-	-	-
55	-	-	-	-	-
56	-	-	-	-	-
57	-	-	-	-	-
58	-	-	-	-	-
59	-	-	-	-	-
60 & above	-	-	-	-	-
Average	40	41	41	39	41
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	*	-	-	*
26	-	*	-	-	*
27	-	*	-	-	*
28	-	*	-	-	*
29	-	*	-	*	*
30	-	*	-	*	*
31	-	*	-	*	*
32	-	0.1	*	*	0.1
33	1.0	0.3	0.3	0.3	0.3
34	3.7	0.7	1.2	1.2	0.7
35	6.9	1.1	2.7	2.9	1.3
36	11.3	1.8	4.7	6.3	2.2
37	12.3	3.7	7.9	11.9	4.3
38	14.1	8.2	13.6	18.4	9.0
39	12.1	14.7	15.9	19.5	15.0
40	15.9	19.8	16.7	16.8	19.5
41	12.1	20.1	15.1	11.5	19.5
42	5.9	14.7	10.5	6.2	14.0
43	3.6	8.3	5.9	3.0	7.9
44	0.8	4.0	3.3	1.4	3.8
45 & above	0.3	2.5	2.1	0.6	2.4
Average	38.5	40.4	39.7	39.0	40.3
EXTRANEOUS MATTER					
Bark	1.1	0.2	*	0.1	0.2
Grass	0.5	0.1	0.6	0.7	0.1
Spindle Twist	*	0.2	*	*	0.2
Preparation	0.1	0.7	-	*	0.6

* Less than 0.05 percent.



1022625170

Year	Area	Production	Consumption	Export	Import	Stock
1950	100	100	100	0	0	100
1951	100	100	100	0	0	100
1952	100	100	100	0	0	100
1953	100	100	100	0	0	100
1954	100	100	100	0	0	100
1955	100	100	100	0	0	100
1956	100	100	100	0	0	100
1957	100	100	100	0	0	100
1958	100	100	100	0	0	100
1959	100	100	100	0	0	100
1960	100	100	100	0	0	100
1961	100	100	100	0	0	100
1962	100	100	100	0	0	100
1963	100	100	100	0	0	100
1964	100	100	100	0	0	100
1965	100	100	100	0	0	100
1966	100	100	100	0	0	100
1967	100	100	100	0	0	100
1968	100	100	100	0	0	100
1969	100	100	100	0	0	100
1970	100	100	100	0	0	100
1971	100	100	100	0	0	100
1972	100	100	100	0	0	100
1973	100	100	100	0	0	100
1974	100	100	100	0	0	100
1975	100	100	100	0	0	100
1976	100	100	100	0	0	100
1977	100	100	100	0	0	100
1978	100	100	100	0	0	100
1979	100	100	100	0	0	100
1980	100	100	100	0	0	100
1981	100	100	100	0	0	100
1982	100	100	100	0	0	100
1983	100	100	100	0	0	100
1984	100	100	100	0	0	100
1985	100	100	100	0	0	100
1986	100	100	100	0	0	100
1987	100	100	100	0	0	100
1988	100	100	100	0	0	100
1989	100	100	100	0	0	100
1990	100	100	100	0	0	100
1991	100	100	100	0	0	100
1992	100	100	100	0	0	100
1993	100	100	100	0	0	100
1994	100	100	100	0	0	100
1995	100	100	100	0	0	100
1996	100	100	100	0	0	100
1997	100	100	100	0	0	100
1998	100	100	100	0	0	100
1999	100	100	100	0	0	100
2000	100	100	100	0	0	100
2001	100	100	100	0	0	100
2002	100	100	100	0	0	100
2003	100	100	100	0	0	100
2004	100	100	100	0	0	100
2005	100	100	100	0	0	100
2006	100	100	100	0	0	100
2007	100	100	100	0	0	100
2008	100	100	100	0	0	100
2009	100	100	100	0	0	100
2010	100	100	100	0	0	100
2011	100	100	100	0	0	100
2012	100	100	100	0	0	100
2013	100	100	100	0	0	100
2014	100	100	100	0	0	100
2015	100	100	100	0	0	100
2016	100	100	100	0	0	100
2017	100	100	100	0	0	100
2018	100	100	100	0	0	100
2019	100	100	100	0	0	100
2020	100	100	100	0	0	100
2021	100	100	100	0	0	100
2022	100	100	100	0	0	100